

SAFETY DATA SHEET

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: POLO BREMSFLUESSIGKEIT DOT 4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Brake fluid

Uses advised against: No uses advised against identified.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier

Fuchs Schmierstoffe GmbH
Friesenheimer Str. 19
68169 Mannheim

Telephone:

+49 621 3701-0 (ZENTRALE)

Fax:

+49 621 3701-570

Contact Person:

Fuchs Schmierstoffe GmbH Abteilung Produktsicherheit

Telephone:

+49 621 3701-1333

Fax:

+49 621 3701-7303

E-mail:

produktsicherheit-FS@fuchs.com

1.4 Emergency telephone number:

+49 621 3701-1333 / +49 621 3701-0 (Mo-Do 8-17, Fr 8-16)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation (EU) 1272/2008 (CLP).

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Toxic to reproduction

Category 2

H361d: Suspected of damaging the unborn child.

Hazard summary

Physical Hazards:

No data available.

2.2 Label Elements

Contains:

Triethylene glycol monomethyl ether borate

Product name: POLO BREMSFLUESSIGKEIT DOT 4



Signal Words: Warning

Hazard Statement(s): H361d: Suspected of damaging the unborn child.

Precautionary Statements

Prevention: P201: Obtain special instructions before use.
P202: Do not handle until all safety precautions have been read and understood.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response: P308+P313: IF exposed or concerned: Get medical advice/attention.

Storage: P405: Store locked up.

Disposal: P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

2.3 Other hazards: By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of the substances listed below with harmless additions.

| Chemical name | Identifier | Concentration * | REACH Registration No. | Notes |
|--|-------------------|-------------------|--------------------------------------|-------|
| Triethylene glycol monomethyl ether borate | EINECS: 250-418-4 | >=30,00 - <50,00% | 01-2119462824-33 | |
| Glycol ether derivative | EC: 907-996-4 | >=10,00 - <20,00% | 01-2119475115-41 01-2119531322-53 | |
| Diglycol | EINECS: 203-872-2 | >=1,00 - <10,00% | 01-2119457857-21 | |
| Amine, aliphatic | EINECS: 203-820-9 | >=1,00 - <5,00% | 01-2119475444-34 | |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
PBT: persistent, bioaccumulative and toxic substance.
vPvB: very persistent and very bioaccumulative substance.

Product name: POLO BREMSFLUESSIGKEIT DOT 4

Classification

| Chemical name | Identifier | Classification | |
|--|-------------------|----------------|-------------------|
| Triethylene glycol monomethyl ether borate | EINECS: 250-418-4 | CLP: | Repr. 2;H361d |
| Glycol ether derivative | EC: 907-996-4 | CLP: | Eye Dam. 1;H318 |
| Diglycol | EINECS: 203-872-2 | CLP: | Acute Tox. 4;H302 |
| Amine, aliphatic | EINECS: 203-820-9 | CLP: | Eye Irrit. 2;H319 |

CLP: Regulation No. 1272/2008.

For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed: May cause skin and eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed: Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: CO₂, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

Unsuitable extinguishing media: Water with a full water jet.

5.2 Special hazards arising from the substance or mixture: During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Product name: POLO BREMSFLUESSIGKEIT DOT 4

| | |
|--|---|
| Special fire fighting procedures: | Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains. |
| Special protective equipment for fire-fighters: | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |

SECTION 6: Accidental release measures

| | |
|---|--|
| 6.1 Personal precautions, protective equipment and emergency procedures: | In case of spills, beware of slippery floors and surfaces. |
| 6.2 Environmental Precautions: | Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water. |
| 6.3 Methods and material for containment and cleaning up: | Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk. |
| 6.4 Reference to other sections: | See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal. |

SECTION 7: Handling and storage:

| | |
|--|--|
| 7.1 Precautions for safe handling: | Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation. |
| 7.2 Conditions for safe storage, including any incompatibilities: | Store locked up. Local regulations concerning handling and storage of waterpolluting products have to be followed. |
| 7.3 Specific end use(s): | Not applicable |

SECTION 8: Exposure controls/personal protection

| | |
|--|---|
| 8.1 Control Parameters Occupational Exposure Limits | None of the components have assigned exposure limits. |
|--|---|

8.2 Exposure controls

Product name: POLO BREMSFLUESSIGKEIT DOT 4

| | |
|--|--|
| Appropriate engineering controls: | Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
| Individual protection measures, such as personal protective equipment | |
| General information: | Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products. |
| Eye/face protection: | Safety glasses (EN 166) recommended during refilling. Avoid contact with skin and eyes. Goggles/face shield are recommended. If risk of splashing, wear safety goggles or face shield. |
| Skin protection | |
| Hand Protection: | Material: Nitrile-butadiene rubber (NBR). Min. Breakthrough time: ≥ 480 min Recommended thickness of the material: $\geq 0,38$ mm |
| | Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. |
| Other: | Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing. |
| Respiratory Protection: | Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol. |
| Thermal hazards: | Not known. |
| Hygiene measures: | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. |
| Environmental Controls: | No data available. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | |
|------------------------|-----------------------------|
| Physical state: | liquid |
| Form: | liquid |
| Color: | Pale yellow |
| Odor: | Characteristic |
| Odor Threshold: | Not applicable for mixtures |

Product name: POLO BREMSFLUESSIGKEIT DOT 4

| | |
|---|--|
| pH: | 8,0 (DIN 51369, 1.000 g/l, 20 °C) |
| Freezing point: | < -70 °C |
| Boiling Point: | > 260 °C |
| Flash Point: | > 125 °C |
| Evaporation Rate: | Not applicable for mixtures |
| Flammability (solid, gas): | Value not relevant for classification |
| Flammability Limit - Upper (%)-: | Value not relevant for classification |
| Flammability Limit - Lower (%)-: | Value not relevant for classification |
| Vapor pressure: | Not applicable for mixtures |
| Vapor density (air=1): | Not applicable for mixtures |
| Density: | 1,05 g/cm ³ (15 °C) (DIN 51757) |
| Solubility(ies) | |
| Solubility in Water: | Soluble |
| Solubility (other): | No data available. |
| Partition coefficient (n-octanol/water): | Not applicable for mixtures |
| Autoignition Temperature: | Value not relevant for classification |
| Decomposition Temperature: | Value not relevant for classification |
| Kinematic viscosity: | 8 mm ² /s (40 °C, DIN 51562) |
| Explosive properties: | Value not relevant for classification |
| Oxidizing properties: | Value not relevant for classification |
| 9.2 Other information | No data available. |

SECTION 10: Stability and reactivity

| | |
|---|---|
| 10.1 Reactivity: | Stable under normal use conditions. |
| 10.2 Chemical Stability: | Stable under normal use conditions. |
| 10.3 Possibility of hazardous reactions: | Stable under normal use conditions. |
| 10.4 Conditions to avoid: | Stable under normal use conditions. |
| 10.5 Incompatible Materials: | Strong oxidizing substances. Strong acids. Strong bases. |
| 10.6 Hazardous Decomposition Products: | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors. |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral

| | |
|-----------------|--|
| Product: | ATEmix: > 2.000 mg/kg ATEmix: 11.313,13 mg/kg |
|-----------------|--|

Product name: POLO BREMSFLUESSIGKEIT DOT 4

Specified substance(s)

| | |
|-------------------------|---|
| Glycol ether derivative | LD 50 (Rat): > 5.000 mg/kg |
| Diglycol | LD 50 (Rat): 12.565 mg/kg LD 50 (Human): 1.120 mg/kg |

Dermal

Product:

Not classified for acute toxicity based on available data.

Not classified for acute toxicity based on available data.

Specified substance(s)

| | |
|-------------------------|------------------------------|
| Glycol ether derivative | LD 50 (Rabbit): 3.540 mg/kg |
| Diglycol | LD 50 (Rabbit): 11.890 mg/kg |
| Amine, aliphatic | LD 50 (Rabbit): 8.000 mg/kg |

Inhalation

Product:

Not classified for acute toxicity based on available data.

Not classified for acute toxicity based on available data.

Skin Corrosion/Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

| | |
|--|-------------------------------------|
| Triethylene glycol monomethyl ether borate | OECD 404 (Rabbit): Not irritant. |
| Diglycol | OECD 404 (Rabbit): Not irritant. |
| Amine, aliphatic | OECD 404 (Rabbit): Not irritant. |

Serious Eye Damage/Eye Irritation:

Product:

Based on available data, the classification criteria are not met.

Specified substance(s)

| | |
|--|-------------------------------------|
| Triethylene glycol monomethyl ether borate | OECD 405 (Rabbit): Not irritant. |
| Amine, aliphatic | OECD 405 (Rabbit): Irritating. |

Product name: POLO BREMSFLUESSIGKEIT DOT 4

Respiratory or Skin Sensitization:

Product: Skin sensitizer: Based on available data, the classification criteria are not met.
Respiratory sensitizer: Based on available data, the classification criteria are not met.

Specified substance(s)

Triethylene glycol monomethyl ether borate No sensitizing effect (guinea pig); OECD 406

Glycol ether derivative No sensitizing effect (guinea pig); OECD 406

Diglycol No sensitizing effect (guinea pig); OECD 406

Germ Cell Mutagenicity

Product: Based on available data, the classification criteria are not met.

Carcinogenicity

Product: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Reproductive toxicity

Product: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are met.

Specific Target Organ Toxicity - Single Exposure

Product: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure

Product: Based on available data, the classification criteria are not met.

Aspiration Hazard

Product: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Other adverse effects: No data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

Product: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Fish

Product: LC 50 (Fish, 96 h): 250 - 350 mg/l

Aquatic Invertebrates

Specified substance(s)

Triethylene glycol EC 50 (Water Flea, 48 h): > 211,2 mg/l (OECD 202)

Product name: POLO BREMSFLUESSIGKEIT DOT 4

monomethyl ether borate

Diglycol EC 50 (Water Flea, 48 h): > 10.000 mg/l

Amine, aliphatic EC 50 (Water Flea, 48 h): 277,7 mg/l

Chronic ToxicityProduct: Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

**Toxicity to Aquatic Plants
Specified substance(s)**

Triethylene glycol EC 50 (Alga, 72 h): > 224,4 mg/l (OECD 201)

monomethyl ether borate

Amine, aliphatic EC 50 (Alga, 72 h): 339 mg/l

12.2 Persistence and Degradability

Biodegradation

Product: Not applicable for mixtures

Specified substance(s)

Triethylene glycol > 70 % (10 d, OECD 301A)

monomethyl ether borate

Diglycol 92 % (28 d, OECD 301A)

12.3 Bioaccumulative potential

Product: Not applicable for mixtures

12.4 Mobility in soil:

Product: Not applicable for mixtures

**12.5 Results of PBT and vPvB
assessment:**

The product does not contain any substances fulfilling the PBT/vPvB criteria.

12.6 Other adverse effects:

No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

General information: Dispose in accordance with all applicable regulations.

Disposal methods: Discharge, treatment, or disposal may be subject to national, state, or local laws.

European Waste Codes

16 01 13*: brake fluids

Product name: POLO BREMSFLUESSIGKEIT DOT 4

SECTION 14: Transport information

ADR/RID

- 14.1 UN Number: –
- 14.2 UN Proper Shipping Name: –
- 14.3 Transport Hazard Class(es)
 - Class: Non-dangerous goods
 - Label(s): –
 - Hazard No. (ADR): –
 - Tunnel restriction code: –
- 14.4 Packing Group: –
- 14.5 Environmental hazards: –
- 14.6 Special precautions for user: –

ADN

- 14.1 UN Number: –
- 14.2 UN Proper Shipping Name: –
- 14.3 Transport Hazard Class(es)
 - Class: Non-dangerous goods
 - Label(s): –
- 14.3 Packing Group: –
- 14.5 Environmental hazards: –
- 14.6 Special precautions for user: –

IMDG

- 14.1 UN Number: –
- 14.2 UN Proper Shipping Name: –
- 14.3 Transport Hazard Class(es)
 - Class: Non-dangerous goods
 - Label(s): –
 - EmS No.: –
- 14.3 Packing Group: –
- 14.5 Environmental hazards: –
- 14.6 Special precautions for user: –

IATA

- 14.1 UN Number: –
- 14.2 Proper Shipping Name: –
- 14.3 Transport Hazard Class(es)
 - Class: Non-dangerous goods
 - Label(s): –
- 14.4 Packing Group: –
- 14.5 Environmental hazards: –
- 14.6 Special precautions for user: –

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EU Regulations

Product name: POLO BREMSFLUESSIGKEIT DOT 4

Regulation (EC) No. 2037/2000 Substances that deplete the ozone layer: none

Regulation (EC) No. 850/2004 on persistent organic pollutants: none

National Regulations

15.2 Chemical safety assessment: No Chemical Safety Assessment has been carried out. No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Revision Information: Vertical lines in the margin indicate an amendment.

Wording of the H-statements in section 2 and 3

| | |
|-------|---|
| H302 | Harmful if swallowed. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H361d | Suspected of damaging the unborn child. |

Other information: The classification complies with the current EU lists; however, it has been supplemented with expert literature information and information provided by/about our company. It was derived from the test data and/or the application of the conventional method.

Revision Date: 04.03.2020

Disclaimer: The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.