

Printing date 28.04.2023 Version number 1 Revision: 28.04.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: POLO BIKECARE HELMET INTERIOR PADDING CLEANER
- · Article number: 33910500200
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Interior vehicle cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

POLO Motorrad und Sportswear GmbH

Polostr. 1 41363 Jüchen

Tel: 02165 84 40 200 Fax: 01265 84 40 450

E-Mail: info@polo-motorrad.com

· Further information obtainable from:

Safety Department

sicherheit@dr-stoecker.de

· 1.4 Emergency telephone number:

INTERNATIONAL: +49 (0) 6132 / 84463 (GBK Gefahrgut Büro GmbH, Ingelheim)

### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds or formaldehydes.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)



Printing date 28.04.2023 Version number 1 Revision: 28.04.2023

Trade name: POLO BIKECARE HELMET INTERIOR PADDING CLEANER

Dangerous components:			
CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0 Reg.nr.: 01-2119457558-25	propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	≥2.5-<	10%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.05 \%$	<0.05	ī%
Regulation (EC) No 648/200	4 on detergents / Labelling for contents		
phosphates, anionic surfactan	ts	<	5%
	reservation agents (BENZISOTHIAZOLINONE, LAURYLAN SODIUM PYRITHIONE, SODIUM BENZOATE, POTASS		

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Generally the product does not irritate the skin.

*Immediately rinse with water.* 

*If skin irritation continues, consult a doctor.* 

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If swallowed, seek medical advice immediately and show this container or label.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

#### SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation (Contd. on page 3)



Printing date 28.04.2023 Version number 1 Revision: 28.04.2023

Trade name: POLO BIKECARE HELMET INTERIOR PADDING CLEANER

(Contd. of page 2)

#### · 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

#### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Protect from heat and direct sunlight.

Protect from frost.

Keep container tightly sealed.

- · Storage class: 10
- · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs			
67-63-0 propan-2-ol			
Oral	Long term - systemic effects, general population	26 mg/kg bw/day (general population)	
Dermal	Long-term - systemic effects, worker	888 mg/kg bw/day (worker)	
	Long term - systemic effects, general population	319 mg/kg bw/day (general population)	
Inhalative	Long-term - systemic effects, worker	500 mg/m3 (worker)	
	Long term - systemic effects, general population	89 mg/m3 (general population)	

#### · PNECs

<i>67-63-0</i>	propan-2-ol
----------------	-------------

Aquatic compartment - freshwater	140.9 mg/l (Sweet Water / Süsswasser)
Aquatic compartment - marine water	140.9 mg/l (marine water)
Aquatic compartment - water, intermittent releases	140.9 mg/l (intermittent release water)
Aquatic compartment - sediment in freshwater	552 mg/kg sed dw (sediment fresh water)
Aquatic compartment - sediment in marine water	552 mg/kg sed dw (sediment marine water)
Terrestrial compartment - soil	28 mg/kg dw (soil)
sewage treatment plant	2,251 mg/l (sewage treatment plant)

(Contd. on page 4)



Version number 1 Revision: 28.04.2023 Printing date 28.04.2023

Trade name: POLO BIKECARE HELMET INTERIOR PADDING CLEANER

(Contd. of page 3)

Oral secondary poisoning

160 mg/kg food (food sec poisoning)

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work. Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Keep away from foodstuffs, beverages and feed.

· Respiratory protection:

*Not required.* 

Not necessary if room is well-ventilated.

- · Hand protection Not required.
- · Eye/face protection Goggles recommended during refilling

### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state Fluid · Colour: Clear · Odour: Fruit-like

· Odour threshold: No further relevant information available. · Melting point/freezing point: No further relevant information available.

· Boiling point or initial boiling point and boiling

range ca. 100 °C · Flammability Not applicable.

· Lower and upper explosion limit

· Lower: No further relevant information available. · Upper: No further relevant information available. · Flash point: >60 °C

· Ignition temperature: No further relevant information available. · Decomposition temperature: No further relevant information available.

· pH at 20 °C 9.3 (DIN 19268)

· Viscosity:

No further relevant information available. · Kinematic viscosity No further relevant information available. · Dynamic:

·Solubility

· water: Fully miscible.

No further relevant information available. · Partition coefficient n-octanol/water (log value) 23 hPa

· Vapour pressure at 20 °C:

· Density and/or relative density

Density at 20 °C: 0.998 g/cm3 (DIN 51757)

No further relevant information available. · Relative density No further relevant information available. · Vapour density

(Contd. on page 5)



Printing date 28.04.2023 Version number 1 Revision: 28.04.2023

Trade name: POLO BIKECARE HELMET INTERIOR PADDING CLEANER

(Contd. of page 4)

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health and

environment, and on safety.

· Auto-ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Softening point/range

• Oxidising properties Not applicable.

• Evaporation rate No further relevant information available.

· Information with regard to physical hazard classes

	~
· Explosives	Void
· Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable	
gases in contact with water	Void
Oxidising liquids	Void
· Oxidising solids	Void
Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
67-63-0 propan-2-ol			
Oral	LD50	5,840 mg/kg (rat) (OECD 401)	
Dermal	LD50	13,900 mg/kg (rabbit) (OECD 402)	

(Contd. on page 6)



Printing date 28.04.2023 Version number 1 Revision: 28.04.2023

Trade name: POLO BIKECARE HELMET INTERIOR PADDING CLEANER

				(Contd. of page 5)
Inhal	ative LC50	0/4 h >25 mg/l (rat) (Ol	CCD 403)	
2634	-33-5 1,2-b	enzisothiazol-3(2H)-on	?	
Oral	LD50	1,193 mg/kg (rat)		
Derm	ial LD50	4,115 mg/kg (rat)		
Speci	· Specific symptoms in biological assay:			
67-63	67-63-0 propan-2-ol			
Oral	Subakut N	OAEL 900 mg/kg (rat) 90 d	OECD 408)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards

	· Endocrine disrupting properties		
Ī	80-54-6	p-t-Butyl-alpha-methylhydrocinnamic aldehyde	List II
	118-58-1	benzyl salicylate	List II

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxi	· Aquatic toxicity:		
67-63-0 pro	67-63-0 propan-2-ol		
LC50/48 h	LC50/48 h >100 mg/l (Leuciscus idus)		
EC50	>100 mg/l (Bacteria)		
EC50/48 h	>100 mg/l (Daphnia magna)		
EC50/72 h	>100 mg/l (Scenedesmus subspicatus)		
2634-33-5 1	,2-benzisothiazol-3(2H)-one		
NOEC 72 h	0.027 mg/l (Skeletonema costatum) (OECD 201)		
EC20	3.3 mg/l (bel) (OECD 209)		
	3 h		
ErC50/72 h	0.11 mg/l (Pseudokrichneriella subcapitata) (OECD 201)		
LC50/96 h	2.18 mg/l (Oncorhynchus mykiss) (OECD 203)		
EC50/48 h	2.94 mg/l (Daphnia magna) (OECD 202)		

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

(Contd. on page 7)



Printing date 28.04.2023 Version number 1 Revision: 28.04.2023

Trade name: POLO BIKECARE HELMET INTERIOR PADDING CLEANER

(Contd. of page 6)

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

• 14.5 Environmental hazards: Not applicable. • 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to IMO

instruments Not applicable.

· UN "Model Regulation": Void

### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)



Printing date 28.04.2023 Version number 1 Revision: 28.04.2023

Trade name: POLO BIKECARE HELMET INTERIOR PADDING CLEANER

(Contd. of page 7)

#### · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eve irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

· **Department issuing SDS:** Department R&D

· Contact: Department R&D

· Date of previous version: 28.04.2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids - Category 2

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2