



## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Product name:** RevTech High Performance Motorcycle Transmission Lube SAE 80W90

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Lubricant

**Uses advised against:** No uses advised against identified.

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer / Supplier** Custom Chrome Europe GmbH  
Carl-von-Ossietzky-Straße 8  
D-55459 Grolsheim

**Telephone:** + 49 6721 40071180 (Zentrale 09:00 - 18:00 Uhr)

**E-Mail:** info@customchrome.de

#### Contact for request of safety data sheets

**E-mail:** products@customchrome.de

**1.4 Emergency telephone number:** Medical Emergency information in case of poisoning: Poison Information Center Mainz – 24h – Phone: +49 (0) 6131 19240 (advisory service in German or English language)  
DENMARK: +45 82 12 12 12

### SECTION 2: Hazards identification



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

## 2.1 Classification of the substance or mixture

The product has been classified and labelled as hazardous according to regulation GB-CLP.

### Classification according to GB-CLP.

#### Environmental Hazards

Chronic hazards to the aquatic environment      Category 3      H412: Harmful to aquatic life with long lasting effects.

#### Hazard summary

**Physical Hazards:**      No data available.

## 2.2 Label Elements

**Hazard Statement(s):**      H412: Harmful to aquatic life with long lasting effects.

### Precautionary Statements

**Prevention:**      P273: Avoid release to the environment.

**Disposal:**      P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**2.3 Other hazards:**      By handling of mineral oil products and chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8) are kept. The product may not be released into the environment without control.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**General information:**      Mixture containing severely refined base oils and additives.

Chemical name	Identifier	Concentration *	UK-REACH Registration No.	Notes
Methacrylate copolymer	Confidential	1,00% - <5,00%		
alkylamine	EC: 701-175-2	0,10% - <0,25%		
alkenyl amine, long-chain	EC: 627-034-4	0,01% - <0,25%		

\* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

### Classification

Chemical name	Identifier	Classification
Methacrylate copolymer	Confidential	GBCLP: Eye Irrit. 2;H319
alkylamine	EC: 701-175-2	GBCLP: Acute Tox. 4;H302, Acute Tox. 2;H330, Acute Tox. 3;H311, Skin Corr. 1B;H314, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Skin Sens. 1A;H317
alkenyl amine, long-chain	EC: 627-034-4	GBCLP: Acute Tox. 4;H302, Asp. Tox. 1;H304, STOT SE 3;H335, STOT RE 2;H373, Skin Corr. 1B;H314, Aquatic Acute 1;H400, Aquatic Chronic 1;H410, Eye Dam. 1;H318; M-Factor (aquatic acute): 10; M-Factor (aquatic chronic): 10

GB-CLP

### specific concentration limit

Chemical name	Identifier	specific concentration limit	Hazard class	Hazard Category	Hazard statements
Methacrylate copolymer	Confidential	>= 75 %	Serious eye irritation	2	H319
alkylamine	EC: 701-175-2	>= 5 %	Skin sensitizer	1A	H317

For the wording of the listed hazard statements refer to section 16.

Please note that the mineral oils and petroleum distillates used in our products are severely refined and have a DMSO extract < 3% as measured by method IP 346 and are not classified as carcinogenic according to Note L of Annex VI of Regulation GB-CLP.

## SECTION 4: First aid measures

**General:** Instantly remove any clothing soiled by the product.

### 4.1 Description of first aid measures

**Inhalation:** Supply fresh air; consult doctor in case of symptoms.

**Eye contact:** Promptly wash eyes with plenty of water while lifting the eye lids.

**Skin Contact:** Wash with soap and water.

**Ingestion:** Rinse mouth thoroughly.

**4.2 Most important symptoms and effects, both acute and delayed:** May cause skin and eye irritation.

**4.3 Indication of any immediate medical attention and special treatment needed:** Get medical attention if symptoms occur.

## SECTION 5: Firefighting measures

Issue Date: 30.10.2013

Revision Date: 22.12.2021

Print date: 08.01.2022

SDS\_GB - EN - 00000000602044471

Version: 2.11

3/11



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

---

### 5.1 Extinguishing media

**Suitable extinguishing media:** CO<sub>2</sub>, fire extinguishing powder or fog like water spraying. Extinguish larger fires with alcohol resistant foam or spray water with suitable surfactant added

**Unsuitable extinguishing media:** Water with a full water jet.

**5.2 Special hazards arising from the substance or mixture:** During fire, gases hazardous to health may be formed.

### 5.3 Advice for firefighters

**Special fire fighting procedures:** Move container from fire area if it can be done without risk. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter drains.

**Special protective equipment for fire-fighters:** Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures:** In case of spills, beware of slippery floors and surfaces.

**6.2 Environmental Precautions:** Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent from spreading (e.g. by binding or oil barriers). Environmental manager must be informed of all major spillages. Do not allow to enter drainage system, surface or ground water.

**6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without risk.

**6.4 Reference to other sections:** See Section 8 of the SDS for Personal Protective Equipment. See Section 7 for information on safe handling See Section 13 for information on disposal.

## SECTION 7: Handling and storage:

**7.1 Precautions for safe handling:** Prevent formation of aerosols. Do not eat, drink or smoke when working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial hygiene practices. Provide adequate ventilation.

**7.2 Conditions for safe storage, including any incompatibilities:** Local regulations concerning handling and storage of waterpolluting products have to be followed. Do not heat up to temperatures close to the flash point.



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

---

**7.3 Specific end use(s):** Not applicable

**Storage Class:** 10, Combustible liquids

**SECTION 8: Exposure controls/personal protection**

**8.1 Control Parameters**

**Occupational Exposure Limits**

None of the components have assigned exposure limits.

**8.2 Exposure controls**

**Appropriate engineering controls:**

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**General information:**

Wash hands before breaks and after work. Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to in handling the chemicals or the mineral oil products.

**Eye/face protection:**

Safety glasses (EN 166) recommended during refilling.

**Skin protection**

**Hand Protection:**

Material: Nitrile butyl rubber (NBR).  
Min. Breakthrough time:  $\geq 480$  min  
Recommended thickness of the material:  $\geq 0,38$  mm

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. to safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Other:**

Do not carry cleaning cloths impregnated with the product in trouser pockets. Wear suitable protective clothing.

**Respiratory Protection:**

Ensure good ventilation/exhaustion at the workplace. Avoid breathing vapour/ aerosol.

**Thermal hazards:**

Not known.

**Hygiene measures:**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

**Environmental Controls:** No data available.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**Appearance**

<b>Physical state:</b>	liquid
<b>Form:</b>	liquid
<b>Color:</b>	Yellow
<b>Odor:</b>	Characteristic
<b>pH:</b>	substance/mixture is non-soluble (in water)
<b>Freezing point:</b>	not determined
<b>Boiling Point:</b>	Not applicable
<b>Flash Point:</b>	220 °C
<b>Evaporation Rate:</b>	Not applicable for mixtures
<b>Flammability (solid, gas):</b>	not determined
<b>Flammability Limit - Upper (%)-:</b>	Not applicable for mixtures
<b>Flammability Limit - Lower (%)-:</b>	Not applicable for mixtures
<b>Vapor pressure:</b>	Not applicable for mixtures
<b>Relative vapor density:</b>	Not applicable for mixtures
<b>Density:</b>	0,89 g/cm <sup>3</sup> (15 °C)
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	Insoluble in water
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	Not applicable for mixtures
<b>Autoignition Temperature:</b>	not determined
<b>Decomposition Temperature:</b>	not determined
<b>Kinematic viscosity:</b>	134 mm <sup>2</sup> /s (40 °C)
<b>Explosive properties:</b>	Value not relevant for classification
<b>Oxidizing properties:</b>	Value not relevant for classification
<b>Particle characteristics:</b>	Not applicable

**9.2 Other information** No data available.

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity:</b>	Stable under normal use conditions.
<b>10.2 Chemical Stability:</b>	Stable under normal use conditions.
<b>10.3 Possibility of hazardous reactions:</b>	Stable under normal use conditions.
<b>10.4 Conditions to avoid:</b>	Stable under normal use conditions.
<b>10.5 Incompatible Materials:</b>	Strong oxidizing substances. Strong acids. Strong bases.



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

---

**10.6 Hazardous Decomposition Products:** Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Oral

**Product:** Not classified for acute toxicity based on available data.

**Specified substance(s)**  
alkylamine

LD 50 (Rat): 612 mg/kg

alkenyl amine, long-chain

LD 50 (Rat): 1.689 mg/kg (OECD 401)

##### Dermal

**Product:** ATEmix: 209.166 mg/kg

**Specified substance(s)**  
alkylamine

LD 50 (Rat): 251 mg/kg

##### Inhalation

**Product:** ATEmix: 425 mg/l  
Vapour Vapour

**Specified substance(s)**  
alkylamine

LC 50 (Rat, 4 h): 1,19 mg/l

##### Skin Corrosion/Irritation:

**Product:** Based on available data, the classification criteria are not met.

##### Serious Eye Damage/Eye Irritation:

**Product:** Based on available data, the classification criteria are not met.

##### Respiratory or Skin Sensitization:

**Product:**

Experimental data has shown that the concentration of potentially sensitizing components present in this product does not induce skin sensitization.

##### Germ Cell Mutagenicity

**Product:** Based on available data, the classification criteria are not met.

##### Carcinogenicity

**Product:** Based on available data, the classification criteria are not met.

##### Reproductive toxicity

**Product:** Based on available data, the classification criteria are not met.

##### Specific Target Organ Toxicity - Single Exposure

**Product:** Based on available data, the classification criteria are not met.



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

---

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** Based on available data, the classification criteria are not met.

**Aspiration Hazard**

**Product:** Based on available data, the classification criteria are not met.

**Other adverse effects:** No data available.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Acute toxicity**

**Product:** Based on available data, the classification criteria are not met.

**Fish**

**Specified substance(s)**

alkenyl amine, long-chain LC 50 (Fish, 96 h): 0,06 mg/l

**Aquatic Invertebrates**

**Specified substance(s)**

alkenyl amine, long-chain EC 50 (Water Flea, 48 h): 0,011 mg/l

**Chronic Toxicity**

**Product:** Based on available data, the classification criteria are met.

**Fish**

**Specified substance(s)**

alkylamine NOEC (Fish, 96 d): 0,078 mg/l

**Aquatic Invertebrates**

**Specified substance(s)**

alkenyl amine, long-chain NOEC (Water Flea, 21 d): 0,013 mg/l

**Toxicity to Aquatic Plants**

**Specified substance(s)**

alkylamine ErC50 (Alga, 72 h): 0,44 mg/l

alkenyl amine, long-chain EC 50 (Alga, 72 h): 0,04 mg/l

**12.2 Persistence and Degradability**

**Biodegradation**

**Product:** Not applicable for mixtures

**Specified substance(s)**

alkenyl amine, long-chain 66 % (28 d, OECD 301B)

**12.3 Bioaccumulative potential**

**Product:** Not applicable for mixtures

**12.4 Mobility in soil:**

**Product:** Not applicable for mixtures





**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

---

**12.5 Results of PBT and vPvB assessment:** The product does not contain any substances fulfilling the PBT/vPvB criteria.

**12.6 Other adverse effects:** Harmful to aquatic life with long lasting effects.

**Water Hazard Class (WGK):** WGK 1: slightly water-endangering.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**General information:** Dispose in accordance with all applicable regulations.

**Disposal methods:** Discharge, treatment, or disposal may be subject to national, state, or local laws.

#### List of Waste (LoW) Codes

13 02 05\*: mineral-based non-chlorinated engine, gear and lubricating oils

### SECTION 14: Transport information

#### ADR/RID

14.1 UN Number: —  
14.2 UN Proper Shipping Name: —  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): —  
Hazard No. (ADR): —  
Tunnel restriction code: —  
14.4 Packing Group: —  
14.5 Environmental hazards: —  
14.6 Special precautions for user: —

#### IMDG

14.1 UN Number: —  
14.2 UN Proper Shipping Name: —  
14.3 Transport Hazard Class(es)  
Class: Non-dangerous goods  
Label(s): —  
EmS No.: —  
14.3 Packing Group: —  
14.5 Environmental hazards: —  
14.6 Special precautions for user: —



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

---

**IATA**

- 14.1 UN Number: -
- 14.2 Proper Shipping Name: -
- 14.3 Transport Hazard Class(es):
  - Class: Non-dangerous goods
  - Label(s): -
- 14.4 Packing Group: -
- 14.5 Environmental hazards: -
- 14.6 Special precautions for user: -

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Not applicable.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**GB Regulations**

**The Ozone-Depleting Substances and Fluorinated Greenhouse Gases (Amendment etc.) (EU Exit) Regulations 2019:**  
none

**The Persistent Organic Pollutants (Amendment) (EU Exit) Regulations 2020:**  
none

**15.2 Chemical safety assessment:** No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

**Revision Information:** Vertical lines in the margin indicate an amendment.

**Wording of the H-statements in section 2 and 3**

- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
  
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

**Other information:** The classification complies with the current GB lists; however, it has been supplemented with expert literature information and information provided by/about our company. The following evaluation methods were used: On the



**Product name: RevTech High Performance Motorcycle Transmission Lube SAE 80W90**

---

basis of test data; Calculation Method; Bridging Principle "Substantially similar mixtures"; Expert Judgement

**Revision Date:**

22.12.2021

**Disclaimer:**

The data contained in this safety data sheet are based on our current knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This document was issued electronically and has no signature.